
INDEX SHEET 2" X 4 1/2" FLUSH GLAZED BCE-1450 SERIES

SD-106 REV B PG 1

1/4 SIZE DETAILS



THIE SYSTEM IS DESIGNED TO BE ASSEMBLED WITH #8 SCREWS

	GASKETS	
UNIVERSAL RUBBER CO	#2028	1" GLASS, INT'R. & EXT'R.
800-782-2375	#2090	5/8" GLASS IN 1 3/8" POCKET
REED RUBBER PRODUCTS 800-325-9698	#3734 #4893	GLAZING GASKET INT'R & EXT'R ALTERNATIVE
TREMCO 800-321-6357	TR-2062E	GLAZING GASKET INT'R & EXT'R
	DOOR PILE	
SCHLEGEL CORP. 800-828-6237	AS SELECTED	USED WITH BCE-1460 AND LIKE SHAPES
AMESBURY GROUP INC. 704-878-6892	AS SELECTED	USED WITH BCE-1460 AND LIKE SHAPES

THIS SYSTEM IS DESIGNED TO BE ASSEMBLED WITH #8 SCREWS.

NO TEST DATA AVAILABLE

TREDEGAR EXTRUSIONS INC. DOES NOT MAKE ANY WARRANTY EXPRESS OR IMPLIED INCLUDING NO WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE AND RESERVES THE RIGHT TO MAKE CHANGES REPRODUCTION RIGHTS RESERVED

PRICING FACTORS 2" X 4 1/2" FLUSH GLAZED BCE-1450 SERIES



		DCI	<u>1-1450 St</u>	71XTE/2		ALOMINOM
WEIGHT PER FT	EST PER	FACTOR	CAVITY AREA	PART NUMBER	STRUCTURAL VALUES X-X Y-Y	1/8 SIZE DETAILS
1.326	24.351	18	N/A	BCE1450	0.474 I 2.922 0.389 S 1.299	x Y
1.440	25.231	18	N/A	BCE1451	0.517 I 3.088 0.414 S 1.372	x Y
1.835	26.884	15	N/A	BCE1455	2.576 I 3.239 0.805 S 1.073	x Ty
1.838	26.978	15	N/A	BCE1456	3.220 I 2.626 1.070 S 0.819	$x = \sum_{Y}^{Y} x$
1.025	21.020	21	N/A	BCE1457	0.345 I 2.086 0.342 S 0.825	$X \longrightarrow X \longrightarrow X$
0.325	8.543	26	N/A	BCE1459	0.039 I 0.100 0.047 S 0.110	$X \bigcap_{Y}^{Y} X$
0.308	8.644	28	N/A	BCE1460	0.013 I 0.120 0.027 S 0.096	x Y x
1.267	21.440	17	N/A	BCE461	2.454 I 2.503 0.770 S 0.792	x X X
1.055	19.611	19	N/A	BCE1462	0.513 I 2.796 0.399 S 1.243	x x x
0.552	12.246	22	N/A	BCE1430	0.030 I 0.473 0.080 S 0.270	X Y X
0.163	4.938	30	N/A	BCE1431	0.001 I 0.040 0.003 S 0.043	X Y X
0.254	6.731	27	N/A	BCE1432	0.018 I 0.026 0.037 S 0.039	x Y x
1.116	14.838	13	N/A	BCE1434	0.097 I 1.105 0.146 S 0.707	x Y Y X
0.184	4.838	26	N/A	BCE1435	0.004 I 0.016 0.010 S 0.029	X T X Y




PRICING FACTORS 2" X 4 1/2" FLUSH GLAZED BCE-1450 SERIES

SD-106 REV B PG 3

A	LUMINUM				BCE-1450 SERIES	103
WEIGHT PER FT	EST PER	FACTOR	CAVITY AREA	PART NUMBER	STRUCTURAL VALUES X-X Y-Y	1/8 SIZE DETAILS
		26	N/A	BCE1437	0.010 I 0.073	Y
0.310	8.030				0.032 S 0.080	x Y x
0.240	0.240	0 26	N/A	BCE1438	0.022 I 0.081	Y
0.340	8.900				0.050 S 0.089	x T x
2 (2 (2.626	13	N/A	A7043	6.984 I 6.984	Y
2.626	17.973				3.104 S 3.104	X
1.424	25.193	18	N/A	A7054	0.862 I 3.081	Y X X
	23.173				0.862 S 1.369	Y
0.370	9 473	.473 23	N/A	BCE475	0.001 I 0.356	Y
	0.473				0.003 S 0.204	X Y X
1.040	19.149	18	N/A	BCE1454	0.075 I 1.978	x ICL
	15.145				0.152 S 0.879	Y
1.624	1.624 16.247	17	N/A	BCE1458	0.540 I 2.713	x X
	10.247				0.458 S 1.095	Y Y
		17	N/A	BCE1466	4.676 I 3.099	" <u> </u>
1.756	1.756 30.710				1.917 S 1.216	x x
2.004		11	N/A	BCE1478	0.677 I 5.532	Y
2.086	23.440				0.593 S 2.459	x x x
2.120	17.000	4.5	DT / A	DCE1460	0.881 I 4.177	"D Y
2.138	2.138 17.989	15	N/A	BCE1469	0.863 S 1.856	X L X
		19	N/A	BCE1470	1.619 I 3.345	×
1.424	27.580				0.625 S 1.143	x L x
0.40=	0.40	27	3.7 / :	D.CT. (17.2	0.021 I 0.366	<u>Y</u>
0.425	11.493	27	N/A	BCE6430	0.053 S 0.209	x Y x
1.489	15.422	20	N/A	BCE1453	0.788 I 2.917	x x x
1.409	13.444	20	11/11	DOE1433	0.761 S 1.296	X X X
1.124	20.894	0.894 19	N/A BCE146	BCF1463	0.564 I 2.801	x T
1.124	40.07 4			DCE1403	0.420 S 1.237	* <u>*</u>

WINDLOAD CHARTS 2" X 4 1/2" FLUSH GLAZED BCE-1450 SERIES







#1 THESE WINDLOAD CHARTS ARE BASED UPON THE LESSER OF DEFLECTION RATIO (L/175) OR STRESS (12667)

#2 THESE STRUCTURAL CURVES ARE ESTIMATES AND ARE PRESENTED TO THE BEST KNOWLEDGE OF THE WILLIAM L BONNELL CO. IT IS, HOWEVER, THE RESPONSIBILITY OF THE CUSTOMER TO BE SATISFIED THAT THE CURVES ARE CORRECT. THE WILLIAM L BONNELL CO. MAY NOT BE HELD RESPONSIBLE IN ANY WAY FOR THE FAILURE OF PERFORMANCE RESULTING FROM THE USE OF THESE CURVES.

WINDLOAD CHARTS 2" X 4 1/2" FLUSH GLAZED BCE-1450 SERIES

SD-106 REV B PG 5






#1 THESE WINDLOAD CHARTS ARE BASED UPON THE LESSER OF DEFLECTION RATIO (L/175) OR STRESS (12667)

#2 THESE STRUCTURAL CURVES ARE ESTIMATES AND ARE PRESENTED TO THE BEST KNOWLEDGE OF THE WILLIAM L BONNELL CO. IT IS, HOWEVER, THE RESPONSIBILITY OF THE CUSTOMER TO BE SATISFIED THAT THE CURVES ARE CORRECT. THE WILLIAM L BONNELL CO. MAY NOT BE HELD RESPONSIBLE IN ANY WAY FOR THE FAILURE OF PERFORMANCE RESULTING FROM THE USE OF THESE CURVES.


WINDLOAD CHARTS 2" X 4 1/2" FLUSH GLAZED BCE-1450 SERIES






DETAIL SHEET 2" X 4 1/2" FLUSH GLAZING BCE-1450

SD-106 REV B PG 7




DETAIL SHEET 2" X 4 1/2" FLUSH GLAZING BCE-1450





DETAIL SHEET 2" X 4 1/2" FLUSH GLAZING BCE-1450

SD-106 REV B PG 9



DETAIL SHEET 2" X 4 1/2" FLUSH GLAZING BCE-1450



